

**Amendment to the Claims:**

1. (Currently Amended) A computer-implemented medical information merging method, comprising:

identifying a patient's first collection of medical information with a first collection identifier, and a logically related or similar second collection of medical information with a second collection identifier, the first collection identifier  
5 being different from the second collection identifier;

with a computer merging the patient's first collection of medical information with the second collection of medical information, to create a composite collection of medical information;

10 during the merging, with the computer reconciling the first and second collection identifiers of the first and second collections of medical information;

during said merging, with the computer automatically adding medical information, according to a protocol attribute, of the first or second collection of medical information into the other of the first or second collection of medical  
15 information in the creating of said composite collection of medical information; and

at least one of displaying the composite collection of medical information on a display or storing the merged collection of medical information in a computer memory.

2. (Previously Presented) The medical information merging method of claim 1, wherein the medical information is at least one of medical images, patient measurements, findings, comments, waveforms, Doppler audio, and a medical study report.

3. (Previously Presented) The medical information merging method of claim 2, further comprising computing patient measurement information of the first collection of medical information, based on the patient measurements in the second collection of medical information, upon said merging.

4. (Previously Presented) The medical information merging method of claim 1, wherein said adding comprises adding stage information of the second collection of medical information to the first collection of medical information according to a protocol attribute of the second collection of medical information.

5. (Previously Presented) The medical information merging method of claim 1, wherein the first and second collections of medical information include unique identifiers according to a lexicon of Digital Imaging and Communication in Medicine (DICOM).

6. (Previously Presented) The medical information merging method of claim 1, wherein said adding comprises adding a series instance identifier, for a series of the second collection of medical information, to the first collection of medical information without generating a new series instance identifier in the first  
5 collection of medical information for said series of the second collection of medical information.

7. (Previously Presented) The medical information merging method of claim 1, wherein said adding comprises adding new medical information of the second collection of medical information to the composite collection of medical information based on the new medical information including a collection identifier of  
5 the second collection of medical information.

8. (Previously Presented) The medical information merging method of claim 1, further comprising identifying the first and second collections of medical information, wherein said merging is initiated from a terminal remote from a storage unit containing either of the first and second collections of medical  
5 information.

9. (Currently Amended) A computer-implemented study merging method, comprising:

identifying a patient's first medical study, which first medical study includes a first study identifier, and a logically related or similar second medical study, which second medical study includes a second study identifier, the first and  
5 second study identifiers being unique;

in response to a user request, with a computer merging the patient's first medical study with the second medical study to create a merged study, such that medically context-specific information stored in at least one of the first and second  
10 medical studies is merged based upon a protocol of at least one of the first and second studies, the protocol being indicated by an attribute of at least one of the first and second studies;

with the computer saving respective identifiers of the first and second studies;

15 with the computer deleting a ~~distinct database identity~~ the study identifier for at least one of the first and second studies;

with the computer assigning a unique study identifier to the merged study; and

at least one of displaying the merged study on a terminal and storing  
20 the merged study in a computer storage medium.

10. (Original) The study merging method of claim 9, wherein the medically context specific information is stage information.

11. (Original) The study merging method of claim 9, wherein the medically context specific information is measurement information.

12. (Currently Amended) A computer program product comprising a non-transient computer readable medium in which is embodied a program having instructions executable by a computer to perform acts, said acts comprising:

5 identifying a patient's first collection of medical information with a first collection identifier, and a logically related or similar second collection of medical information with a second collection identifier;

merging the patient's first collection of medical information with the second collection of medical information, to create a composite collection of medical  
10 information;

wherein said merging includes reconciling the first and second collection identifiers of the first and second collections of medical information; and

wherein said merging includes automatically according to a protocol attribute, adding medical information, of the first or second collection of medical  
15 information into the other collection of medical information in the creating of said composite collection of medical information.

13. (Previously Presented) The computer program product of claim 12, wherein the medical information is at least one of medical images, patient measurements, findings, comments, waveforms, Doppler audio, and a medical study report.

14. (Previously Presented) The computer program product of claim 13, wherein said automatically adding comprises computing patient measurement information of the first collection of medical information, based on the patient measurements in the second collection of medical information, upon said  
5 merging.

15. (Previously Presented) The computer program product of claim 12, wherein said automatically adding comprises adding stage information of the second collection of medical information to the first collection of medical information according to a protocol attribute of the second collection of medical  
5 information.

16. (Previously Presented) The computer program product of claim 12, wherein the first and second collections of medical information include unique identifiers according to a lexicon of Digital Imaging and Communication in Medicine (DICOM).

17. (Previously Presented) The computer program product of claim 12, wherein said automatic adding comprises adding a series instance identifier, for a series of the second collection of medical information, to the first collection of medical information without generating a new series instance identifier in the first  
5 collection of medical information for said series of the second collection of medical information.

18. (Previously Presented) The computer program product of claim 12, wherein said automatic adding comprises adding new medical information of the first or second collections of medical information to the composite collection of medical information based on the new medical information including a collection of  
5 medical information identifier of either of the first or second collections of medical information.

19. (Previously Presented) The computer program product of claim 18, wherein said acts further comprise controlling the computer to notify a user when said adding of the new medical information is performed.

20. (Previously Presented) The computer program product of claim 12, further comprising controlling the computer to delete a distinct database identity of the second collection of medical information.

21. (Previously Presented) The computer program product of claim 12, wherein said acts further comprise controlling the computer to identify the first and second collections of medical information, wherein said merging is initiated from a terminal remote from a storage unit containing either of the first and second  
5 collections of medical information.

22. (Currently Amended) A computer program product comprising a non-transient computer readable medium in which is embodied a program having instructions executable by a computer to perform acts, said acts comprising:  
5 merging a patient's first medical study which includes a first study identifier with a logically related or similar second medical study which includes a second identifier to create a merged study, such that medically context-specific information stored in at least one of the first and second medical studies is merged based upon a protocol of at least one of the first and second studies, the protocol being  
10 indicated by an attribute of at least one of the first and second studies;  
saving respective identifiers of the first and second studies;  
deleting at least one of the first and second study identifiers; and  
assigning a unique study identifier to the merged study.

23. (Previously Presented) The computer program product of claim 22, wherein the medically context-specific information is stage information.

24. (Previously Presented) The computer program product of claim 22, wherein the medically context-specific information is measurement information.

25. (Currently Amended) A computer-implemented medical study merging method, comprising:

identifying, in accordance with a lexicon of Digital Imaging and Communication in Medicine (DICOM), a patient's related first and second medical

- 5 studies to be merged, the first medical study having a first identifier and the second medical study having a second identifier different from the first medical study identifier;
- with one or more processors, merging the first medical study with the second medical study, according to a protocol attribute, to create a resultant composite
- 10 study having a study identifier different from at least one of the first and second identifiers of the first and second medical studies, wherein, in accordance with said lexicon, the merging includes an automatic, processor-implemented adding of a series of the second medical study to the composite study, the series of the second medical study having a series identifier identical to a pre-merge corresponding series
- 15 identifier, with the series of the second medical study including at least an artifact with an artifact identifier identical to a pre-merge corresponding artifact identifier, such that the composite study includes series and corresponding series identifiers from both the premerged first and second medical studies; and
- at least one of generating a human viewable display of the composite
- 20 study and storing the composite study in computer storage.

26. (Previously Presented) The medical study merging method of claim 25, wherein the composite study is assigned a unique study identifier of the first medical study.

27. (Currently Amended) The ~~study~~—medical information merging method of claim 1, wherein the study identifiers of the first and second medical studies are unique among studies in a database having the distinct database entity.

28. (Currently Amended) The ~~computer readable—medium~~program product of claim 12, wherein the study identifiers of the first and second medical studies are unique among studies in a database having the distinct database entity.